Model Selection STAT-UB.0103 – Statistics for Business Control and Regression Models

Model Selection

1. Here are the results from fitting two models for Text. The first model using a single predictor variable, Social:

Analysis of Variance

| Source | DF | Adj SS | Adj MS | F-Value | P-Value |
|---------------|----|----------|---------|---------|---------|
| Regression | 1 | 1885519 | 1885519 | 3.39 | 0.072 |
| Error | 44 | 24439192 | 555436 | | |
| Total | 45 | 26324711 | | | |
| | | | | | |
| Modol Summary | | | | | |

Model Summary

S R-sq R-sq(adj) R-sq(pred) 745.276 7.16% 5.05% 0.27%

Regression Equation

Text = 174 + 0.706 Social

The second model uses two predictor variables: Social and Audio.

Analysis of Variance

| Source | DF | Adj SS | Adj MS | F-Value | P-Value |
|------------|----|----------|---------|---------|---------|
| Regression | 2 | 2563229 | 1281615 | 2.32 | 0.111 |
| Error | 43 | 23761482 | 552593 | | |
| Total | 45 | 26324711 | | | |

Model Summary

S R-sq R-sq(adj) R-sq(pred) 743.366 9.74% 5.54% 0.00%

Regression Equation

Text = 77 + 0.712 Social + 0.992 Audio

- (a) Which model has the highest value of R^2 ?
- (b) Compute the value of AIC for the first model.
- (c) Compute the value of AIC for the second model.
- (d) According to AIC, which of these two models is preferable?
- (e) According to R_a^2 , which of these two models is preferable?

Best Subsets Regression

2. Here is the output from using best subsets regression with response Text and predictor variables Video, Audio, Email, Social, and Mail:

Response is Text

| 1 | | | | | | | S |
|------|------|-------|--------|---------|--------|-----|-------|
| | | | | | | VA | Еo |
| | | | | | | iu | mсM |
| | | | | | | d d | a i a |
| | | R-Sq | R-Sq | Mallows | | еi | iai |
| Vars | R-Sq | (adj) | (pred) | Ср | S | 0 0 | 111 |
| 1 | 7.2 | 5.1 | 0.3 | 0.9 | 745.28 | | Х |
| 2 | 9.7 | 5.5 | 0.0 | 1.7 | 743.37 | Х | Х |
| 3 | 13.0 | 6.8 | 0.0 | 2.2 | 738.48 | ХX | Х |
| 4 | 13.3 | 4.9 | 0.0 | 4.0 | 745.98 | ХХ | ХХ |
| 5 | 13.4 | 2.5 | 0.0 | 6.0 | 755.15 | ХX | ххх |

Use the output to answer the following questions:

- (a) Of all candidate models with exactly 3 predictors, which fitted model has the smallest value of SSE?
- (b) Of all candidate models with up to 5 predictors, which fitted model has the smallest value of SSE?
- (c) Write an expression for SSE in terms of R^2 and SST.
- (d) Write an expression for AIC in terms of R^2 , SST, n, and k.
- (e) Use the answer from the previous part to find the candidate model with the smallest value of AIC.
- (f) In this situation, does AIC agree with R_a^2 ?